	Type	T #	Type L # Hits	Search Text	DBs	Time Stamp	Comme Definit ro	Error Er Definit ro ion rs	ro rs
1	BRS L1		7103 47	7103 first) near3 (electrode\$1 DERWENT or plate\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/26 11:09			0
2	BRS L2		7090 23	(top or upper or second) COPAT; US-PGPUB; near3 (electrode\$1 or DERWENT; plate\$1) IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/26 11:09			0
3	BRS L3		4414 4	ferroelectric\$3 or ferro-electric\$3 or 4414 (ferro adj electric\$3) or EPO; JPO; ferrodielectric\$1 or ferro-dielectric\$1 or ferro-dielectric\$1) (ferro adj dielectric\$1)	S-PGPUB;	2004/09/26			0

Fext DBs	Search Text	
Fe or lectric\$3 cs sor inc\$3 or USPAT; US-PGPUB; \$1 or EPO; JPO; ctric\$1)) IBM_TDB or IBM_TDB	FeRAM\$ or ((Fe or "Fe" or (ferroelectric\$3 or (ferro adj electric\$1 or ferro-dielectric\$1 or ferro adj dielectric\$1))  (RAM\$1 or (random adj access adj memor\$3))))	FeRAM\$ or ((Fe or "Fe" or (ferroelectric\$3 or (ferro adj electric\$1 or (ferro adj dielectric\$1))
due\$1 or USPAT; US-PGPU EPO; JPO; (side adj DERWENT; cer\$1 IBM_TDB	fence\$2 or residue\$1 or SPAT; US-PGPUB; sidewall\$1 or (side adj DERWENT; wall\$1) or spacer\$1 IBM_TDB	
USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	i and 2	
USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB		BRS L7 4166 6 and 4 EPO; JPO; IBM_TDB

	Type L#	<b>L</b> #	Hits	Search Text	DBs	Time Stamp	Comme	Comme Definit ro	ro rs
<b>&amp;</b>	BRS L8	F.8	1338	1338 7 and 5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/26			0
6	BRS L9	67	, 5845 31	5845 fence\$2 or residue\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/26			. 0
10	BRS	L10	1400	BRS L10 1400 (Ir or "Ir" or iridium)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/26 11:15	`		0
111	BRS L11 86			9 and 10 and 6 and 4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/26 11:30			0
12	BRS L12 77	L12		fence\$2 with (cling\$4 or abher\$4 or stick\$4 or USPAT; U attach\$4) with EPO; JPO; (sidewall\$1 or (side adj IBM_TDB wall\$1))	S-PGPUB; T;	2004/09/26			0

						Time	Comme	Error Er	Er
	Type L #	#   	Hits	Search Text	DBs		nts ion rs	Definit ion	ro rs
13	BRS L13 4	L13	4	12 and 6 and 3	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/26	·		0
					IBM_TDB				
14	IS&R	L14	1395	IS&R L14   1395 (438/3).CCLS.	USPAT; US-PGPUB	2004/09/26 12:05			0
15	IS&R	L15	1131	IS&R L15   1131   (438/240).CCLS.	USPAT; US-PGPUB	2004/09/26 12:06			0
16	BRS L17 920	L17	920	14 not 15	USPAT; US-PGPUB	2004/09/26 12:06			0
17	BRS   L16   656	L16	959	15 not 14	USPAT; US-PGPUB	2004/09/26 12:20			0
18	BRS L18 691	L18	691	438/695	USPAT; US-PGPUB	2004/09/26 12:20			0
19	IS&R	L19	1818	IS&R L19   1818 (438/701) or (438/696) (438/701) or (438/702) or (438/713)).CCLS.	USPAT; US-PGPUB $\begin{vmatrix} 2004/09/26 \\ 12:21 \end{vmatrix}$	2004/09/26 12:21			0
20	IS&R L20 408	L20		(438/734).CCLS.	USPAT; US-PGPUB $\begin{vmatrix} 2004/09/26 \\ 12:22 \end{vmatrix}$	2004/09/26 12:22			0

L Number	Hits	Search Text	DB	Time stamp
1	710347	(lower or bottom or first) near3 (electrode\$1 or plate\$1)	USPAT;	2004/09/26 11:09
			US-PGPUB;	
			EPO; JPO;	
		•	DERWENT;	
			IBM_TDB	
2	709023	(top or upper or second) near3 (electrode\$1 or plate\$1)	USPAT;	2004/09/26 11:09
_	,	(	US-PGPUB;	
	-	·	ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
3	44144	ferroelectric\$3 or ferro-electric\$3 or (ferro adj electric\$3) or	USPAT,	2004/09/26 11:10
		ferrodielectric\$1 or ferro-dielectric\$1 or (ferro adj dielectric\$1)	US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
4	9554	FeRAM\$ or ((Fe or "Fe" or (ferroelectric\$3 or ferro-electric\$3 or (ferro	USPAT;	2004/09/26 11:10
,	,,,,,	adj electric\$3) or ferrodielectric\$1 or ferro-dielectric\$1 or (ferro adj	US-PGPUB;	2004/07/20 11:10
		dielectric\$1))) near3 (capacitor\$1 or (RAM\$1 or (random adj access adj	EPO; JPO;	
		memor\$3))))	DERWENT;	
		Inchior (#5))))	IBM_TDB	
5	1588040	fence\$2 or residue\$1 or sidewall\$1 or side-wall\$1 or (side adj wall\$1)	USPAT;	2004/09/26 11:12
ا	1366040	or spacer\$1	US-PGPUB;	2004/03/20 11.12
		of spacerum	EPO; JPO;	
			DERWENT;	
6	459481	((layer or bettern or first) moon? (clostrode\$1 or mleta\$1)) and ((top or	IBM_TDB	2004/00/26 11:12
١٥	439481	((lower or bottom or first) near3 (electrode\$1 or plate\$1)) and ((top or	USPAT;	2004/09/26 11:12
		upper or second) near3 (electrode\$1 or plate\$1))	US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
7	4166	(((layvan on hottom on finet) moon? (alacter do \$1 on misto \$1)) and ((ton on	IBM_TDB	2004/00/26 11:12
′	4166	(((lower or bottom or first) near3 (electrode\$1 or plate\$1)) and ((top or	USPAT;	2004/09/26 11:13
		upper or second) near3 (electrode\$1 or plate\$1))) and (FeRAM\$ or ((Fe	US-PGPUB;	
		or "Fe" or (ferroelectric\$3 or ferro-electric\$3 or (ferro adj electric\$3) or	ЕРО; ЛРО;	
		ferrodielectric\$1 or ferro-dielectric\$1 or (ferro adj dielectric\$1))) near3	DERWENT;	
	1220	(capacitor\$1 or (RAM\$1 or (random adj access adj memor\$3)))))	IBM_TDB	2004/00/06 11 14
8	1338	(((((lower or bottom or first) near3 (electrode\$1 or plate\$1)) and ((top or	USPAT;	2004/09/26 11:14
		upper or second) near3 (electrode\$1 or plate\$1))) and (FeRAM\$ or ((Fe	US-PGPUB;	
		or "Fe" or (ferroelectric\$3 or ferro-electric\$3 or (ferro adj electric\$3) or	ЕРО; ЛРО;	
		ferrodielectric\$1 or ferro-dielectric\$1 or (ferro adj dielectric\$1))) near3	DERWENT;	
		(capacitor\$1 or (RAM\$1 or (random adj access adj memor\$3)))))) and	IBM_TDB	
		(fence\$2 or residue\$1 or sidewall\$1 or side-wall\$1 or (side adj wall\$1)		
	504531	or spacer\$1)	TIODATE	2004/00/26 11:14
9	584531	fence\$2 or residue\$1	USPAT;	2004/09/26 11:14
			US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
10	1.400	(Tr. or "Ir" or inidium) noor15 homicar01	IBM_TDB	2004/00/26 11:15
10	1400	(Ir or "Ir" or iridium) near15 barrier\$1	USPAT;	2004/09/26 11:15
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
11	06	(famout) on mariduati) and ((To as HTall and initial) ) 17.1 1 2.1 1	IBM_TDB	2004/00/26 11 22
11	86	(fence\$2 or residue\$1) and ((Ir or "Ir" or iridium) near15 barrier\$1) and	USPAT;	2004/09/26 11:30
		(((lower or bottom or first) near3 (electrode\$1 or plate\$1)) and ((top or	US-PGPUB;	
		upper or second) near3 (electrode\$1 or plate\$1))) and (FeRAM\$ or ((Fe	EPO; JPO;	
		or "Fe" or (ferroelectric\$3 or ferro-electric\$3 or (ferro adj electric\$3) or	DERWENT;	
		ferrodielectric\$1 or ferro-dielectric\$1 or (ferro adj dielectric\$1))) near3	IBM_TDB	
10		(capacitor\$1 or (RAM\$1 or (random adj access adj memor\$3)))))	LIODAT .	2004/00/26 ** **
12	77	fence\$2 with (cling\$4 or ahher\$4 or stick\$4 or attach\$4) with	USPAT;	2004/09/26 11:31
		(sidewall\$1 or side-wall\$1 or (side adj wall\$1))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

13	4	(fence\$2 with (cling\$4 or ahher\$4 or stick\$4 or attach\$4) with (sidewall\$1 or side-wall\$1 or (side adj wall\$1))) and ((lower or bottom or first) near3 (electrode\$1 or plate\$1)) and ((top or upper or second)	USPAT; US-PGPUB;	2004/09/26 11:32
		near3 (electrode\$1 or plate\$1)) and (ferroelectric\$3 or ferro-electric\$3 or (ferro adj electric\$3) or ferrodielectric\$1 or ferro-dielectric\$1 or	EPO; JPO; DERWENT; IBM_TDB	
		(ferro adj dielectric\$1))	_	
14	1395	(438/3).CCLS.	USPAT; US-PGPUB	2004/09/26 12:05
15	1131	(438/240).CCLS.	USPAT; US-PGPUB	2004/09/26 12:06
17	920	((438/3).CCLS.) not ((438/240).CCLS.)	USPAT; US-PGPUB	2004/09/26 12:06
16	. 656	((438/240).CCLS.) not ((438/3).CCLS.)	USPAT; US-PGPUB	2004/09/26 12:20
18 .	691	438/695	USPAT; US-PGPUB	2004/09/26 12:20
19	1818	((438/695) or (438/696) or (438/701) or (438/702) or (438/713)).CCLS.	USPAT; US-PGPUB	2004/09/26 12:21
20	408	(438/734).CCLS.	USPAT; US-PGPUB	2004/09/26 12:22
_	44144	ferroelectric\$3 or ferro-electric\$3 or (ferro adj electric\$3) or	USPAT;	2004/09/26 11:09
		ferrodielectric\$1 or ferro-dielectric\$1 or (ferro adj dielectric\$1)	US-PGPUB;	
			ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
-	9554	FeRAM\$ or ((Fe or "Fe" or (ferroelectric\$3 or ferro-electric\$3 or (ferro	USPAT;	2004/09/26 11:10
		adj electric\$3) or ferrodielectric\$1 or ferro-dielectric\$1 or (ferro adj	US-PGPUB;	
		dielectric\$1))) near3 (capacitor\$1 or (RAM\$1 or (random adj access adj memor\$3))))	EPO; JPO; DERWENT;	
		Helitor = 3))))	IBM_TDB	•
-	1588040	fence\$2 or residue\$1 or sidewall\$1 or side-wall\$1 or (side adj wall\$1)	USPAT;	2004/09/26 11:11
		or spacer\$1	US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
	220.425		IBM_TDB	0004/00/04/14/00
-	230427	(top or upper or second) near3 electrode\$1	USPAT; US-PGPUB;	2004/09/24 16:38
	Ì		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	710347	(lower or bottom or first) near3 (electrode\$1 or plate\$1)	USPĀT;	2004/09/26 11:09
			US-PGPUB;	
			EPO; JPO;	
		·	DERWENT; IBM_TDB	
_	709023	(top or upper or second) near3 (electrode\$1 or plate\$1)	USPAT;	2004/09/26 11:09
	707025	(top of apper of become) floats (electrodes) of plates)	US-PGPUB;	2004/05/20 11:05
			ЕРО; ЛРО;	
			DERWENT;	
	150.00		IBM_TDB	
•	459481	((lower or bottom or first) near3 (electrode\$1 or plate\$1)) and ((top or	USPAT;	2004/09/24 16:38
		upper or second) near3 (electrode\$1 or plate\$1))	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	4166	(FeRAM\$ or ((Fe or "Fe" or (ferroelectric\$3 or ferro-electric\$3 or (ferro	USPAT;	2004/09/24 16:38
		adj electric\$3) or ferrodielectric\$1 or ferro-dielectric\$1 or (ferro adj	US-PGPUB;	
		dielectric\$1))) near3 (capacitor\$1 or (RAM\$1 or (random adj access adj	ЕРО; ЈРО;	
		memor\$3))))) and (((lower or bottom or first) near3 (electrode\$1 or	DERWENT;	
	<u> </u>	plate\$1)) and ((top or upper or second) near3 (electrode\$1 or plate\$1)))	IBM_TDB	

-	584531	fence\$2 or residue\$1	USPAT;	2004/09/26 11:14
			US-PGPUB:	
			ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
-	317	((FeRAM\$ or ((Fe or "Fe" or (ferroelectric\$3 or ferro-electric\$3 or (ferro	USPAT;	2004/09/24 16:39
		adj electric\$3) or ferrodielectric\$1 or ferro-dielectric\$1 or (ferro adj	US-PGPUB;	
		dielectric\$1))) near3 (capacitor\$1 or (RAM\$1 or (random adj access adj	ЕРО; ЈРО;	
		memor\$3))))) and (((lower or bottom or first) near3 (electrode\$1 or	DERWENT;	
		plate\$1)) and ((top or upper or second) near3 (electrode\$1 or plate\$1))))	IBM_TDB	
		and (fence\$2 or residue\$1)		
-	1400	(Ir or "Ir" or iridium) near15 barrier\$1	USPAT;	2004/09/26 11:14
			US-PGPUB;	
			ЕРО; ЛРО;	
	1		DERWENT;	
		(//E-DAN60 //E- HE-H /C- A / ' do -C- 1 / ' do	IBM_TDB	0004/00/04/16/40
-	86	(((FeRAM\$ or ((Fe or "Fe" or (ferroelectric\$3 or ferro-electric\$3 or	USPAT;	2004/09/24 16:40
		(ferro adj electric\$3) or ferrodielectric\$1 or ferro-dielectric\$1 or (ferro	US-PGPUB;	
		adj dielectric\$1))) near3 (capacitor\$1 or (RAM\$1 or (random adj access	ЕРО; ЛРО;	
		adj memor\$3))))) and (((lower or bottom or first) near3 (electrode\$1 or	DERWENT;	
		plate\$1)) and ((top or upper or second) near3 (electrode\$1 or plate\$1))))	IBM_TDB	
	1395	and (fence\$2 or residue\$1)) and ((Ir or "Ir" or iridium) near15 barrier\$1) (438/3).CCLS.	USPAT;	2004/09/26 12:05
	1393	(430/3).CCLG.	US-PGPUB	2004/03/20 12:03
<u> </u>	1131	(438/240).CCLS.	USPAT;	2004/09/26 12:05
_	1131	(130/240).0020.	US-PGPUB	2007/07/20 12:05